## Mississippi Behavioral Risk Factor Surveillance System Trend Report, 1993-2002

 $\underline{Note}$ : Unless otherwise indicated the denominator is the total sample population except that all respondents answering "unknown" or who refused to answer a question are excluded from the denominator.

Indicator	Rates	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Health status											
Donort that any and health is fair any as	Actual	21.6	22.1	21.4	21.1	21.9	21.0	20.9	20.2	23.0	25.2
Report that general health is fair or poor	Age Adjusted	20.9	20.5	21.8	21.2	22.1	21.1	20.9	20.3	23.1	24.8
Report that physical health was not good for more than 7 days during past 30 days	Actual	11.7	9.9	11.2	11.6	11.4	14.1	13.1	12.6	15.8	
	Age Adjusted	12.0	10.4	11.5	11.9	11.6	14.3	13.4	13.0	16.1	
Report that mental health was not	Actual	11.1	10.2	9.6	9.4	9.4	12.1	13.2	14.1	13.7	
good for more than 7 days during past 30 days	Age Adjusted	11.2	10.2	9.6	9.6	9.6	11.7	13.2	13.3	13.8	
Report poor physical/mental health prevented	Actual	7.7	4.7	7.8	6.9	5.5	7.4	8.3	7.9	9.5	
usual activities for more than 7 days in past 30 days (Denominator: Total Sample)	Age Adjusted	7.7	4.9	7.9	6.9	5.5	7.5	8.1	8.0	9.6	
Report poor physical/mental health prevented usual activities for more than 7 days in past 30	Actual	15.7	11.1	19.8	18.5	13.8	16.7	17.3	17.0	20.3	
days (Denominator: Excludes those with zero days of poor physical/mental health)	Age Adjusted	16.8	12.0	20.4	18.9	14.3	14.2	17.9	18.1	20.9	
Cigarette smoking											
Donort they are summed a constrained to	Actual	24.2	22.2	24.1	23.2	23.1	24.2	23.4	23.5	25.4	27.4
Report they are current cigarette smokers	Age Adjusted	24.5	22.6	24.4	23.3	23.5	24.5	23.4	23.6	25.4	27.2
	Actual	28.6	26.8	34.5	29.8	29.5	30.1	30.3	32.2	31.2	36.3
High school education or less	Age Adjusted	34.6	36.5	41.5	37.3	36.7	36.2	37.1	37.1	35.8	41.2
DI 1	Actual	20.3	18.7	22.4	21.0	17.7	21.2	18.3	18.3	20.3	24.7
Blacks	Age Adjusted	21.8	20.1	23.9	20.7	19.3	22.1	17.9	18.8	19.8	24.3

Indicator	Rates	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
	Actual	20.8	21.4	20.6	21.1	21.3	21.9	20.6	20.5	20.9	20.0
Report that they are former cigarette smokers	Age Adjusted	21.8	22.0	20.9	21.6	21.7	22.1	20.0	20.8	21.2	20.2
Daily smokers who report that they have quit	Actual	63.7	46.2	43.9	49.8	51.2	51.0	54.6	46.7	51.5	53.9
smoking for 1 day or more in the past 12 months	Age Adjusted	64.1	40.7	43.2	47.6	50.4	52.1	54.7	47.0	49.9	52.0
Quit ratio (Ever smokers who are former	Actual	46.2	49.0	46.1	47.6	47.9	47.5	46.9	46.5	45.1	42.2
smokers)	Age Adjusted	44.9	48.0	45.2	46.8	46.1	46.3	44.5	46.1	44.3	42.0
Alcohol use during the past month											
Demonts and Chines Addition	Actual	8.7		8.8		9.6		10.9		11.7	12.4
Report acute (binge) drinking	Age Adjusted	8.3		8.5		9.4		11.5		11.5	12.3
D (1 ' 1' 1'	Actual	2.8		2.7		2.5		3.3		4.5	4.6
Report chronic drinking	Age Adjusted	2.6		2.8		2.4		3.5		4.4	4.6
Physical activity/exercise											
	Actual		38.5		39.6		33.8		33.4		
Report that they are physically inactive	Age Adjusted		39.1		39.7		34.1		33.6		
65+ year olds (No age adjustment)	Actual		51.1		49.2		40.2		43.1		
L	Actual		47.0		49.0		44.0		42.3		
Income less than \$20,000	Age Adjusted		47.6		48.0		45.0		43.7		
Report sedentary lifestyle (sedentary or	Actual		67.1		64.7		61.2		61.1		
irregular physical activity profile)	Age Adjusted		67.6		64.6		61.4		61.4		
Donard Comment and I am	Actual		14.0		17.0		19.1		18.6		
Report frequent regular exercise	Age Adjusted		13.7		16.9		18.9		18.5		

Indicator	Rates	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
	Actual		9.8		11.2		10.4		9.4		
Report regular intensive exercise	Age Adjusted		9.9		11.5		10.4		9.6		
In come loss than \$20,000	Actual		6.7		8.4		8.4		6.6		
Income less than \$20,000	Age Adjusted		6.4		8.0		7.6		6.0		
Report using physical activity/exercise to lose weight or maintain weight	Actual		34.4		31.2		39.5		40.7		
Denominator: Total Sample	Age Adjusted		34.3		31.3		39.5		40.6		
Report using physical activity/exercise to lose or maintain weight. (Denominator: Those trying to	Actual		57.8		42.0		52.4		54.6		
lose or maintain weight)	Age Adjusted		56.0		41.7		52.3		54.2		
Body weight and weight control											
Decree de de la conseque de (DML 25.0)	Actual	54.6	53.8	54.7	54.5	57.9	59.1	62.3	61.8	61.1	63.1
Respondents who are overweight (BMI ≥25.0)	Age Adjusted	55.2	54.6	55.3	55.4	58.2	59.8	62.0	62.1	61.5	63.6
Description of the property of	Actual	18.9	19.7	19.6	19.8	22.0	22.9	23.4	25.0	25.4	26.8
Respondents who are obese (BMI ≥30)	Age Adjusted	19.4	20.5	19.8	20.2	22.2	23.1	23.2	25.3	25.7	27.0
Report they are dieting to lose or maintain weight	Actual		54.9		52.4		54.5		55.6		
(Denominator : Total Sample)	Age Adjusted		55.7		52.8		55.0		55.8		
Report they are dieting to lose or maintain weight	Actual		72.3		71.3		71.5		74.1		
(Denominator : Those trying to lose or maintain weight)	Age Adjusted		72.3		70.2		71.7		74.3		
Report using physical activity/exercise to lose or maintain weight. (Denominator: Total sample)	Actual		34.4		31.2		39.5		40.7		
	Age Adjusted		34.4		31.3		39.5		40.6		
Report using physical activity/exercise to lose or maintain weight. (Denominator: Those trying to	Actual		45.2		42.0		52.4		54.6		
lose or maintain weight)	Age Adjusted		45.0		41.7		52.3		54.2		

Indicator	Rates	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
At risk of developing diabetes		•	•	•			•			•	
Those at risk of developing type 2 diabetes	Actual		22.6		24.1		24.4		26.1	24.3	24.5
because of weight or lack of exercise	Age Adjusted		24.5		25.5		25.3		26.8	24.7	24.4
Diet/Nutrition											
Report that they eat fruits/vegetables	Actual		13.9		18.2		15.6		18.5		19.1
5 or more times per day	Age Adjusted		14.2		18.1		15.6		18.5		19.1
Cholesterol awareness											
Report that they have ever	Actual	62.3		62.0		66.5		72.9		73.8	
had a blood cholesterol test	Age Adjusted	63.1		62.9		67.2		71.4		74.2	
Those tested who have had blood	Actual	45.5		43.6		46.0		49.0		51.8	
cholesterol checked within the past year	Age Adjusted	46.4		44.3		46.5		47.9		52.0	
Report blood cholesterol checked	Actual	55.1		53.5		55.1		60.9		62.4	
within the past 2 years	Age Adjusted	55.9		54.3		55.6		59.7		62.7	
Report blood cholesterol	Actual	60.2		58.3		62.5		67.0		69.2	
checked within the past 5 years	Age Adjusted	61.1		59.1		63.2		65.7		68.6	
Report being told by a health professional	Actual	19.8		15.8		19.2		22.5		22.8	
that they have high blood cholesterol	Age Adjusted	20.5		16.2		19.6		22.4		23.0	
Diabetes											
Report being told by a doctor	Actual	6.4	5.7	6.3	6.1	6.1	7.7	8.3	7.6	9.3	8.6
that they have diabetes	Age Adjusted	6.5	5.9	6.4	6.2	6.3	7.7	8.0	7.7	9.3	8.7
Those with diabetes who have had two or more visits to a health professional for diabetes in the	Actual				74.4	74.7	75.7		80.7		
past year	Age Adjusted				59.9	72.2	68.6		79.6		

Indicator	Rates	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	
Those with diabetes who have had at least four	Actual				59.1	56.5	46.8		51.0			
visits to a health professional for their diabetes in past year	Age Adjusted				48.5	51.0	43.1		49.8			
Those with diabetes who have had two or more	Actual				29.3	43.5	38.4		38.6			
foot exams by a health professional in past year	Age Adjusted				23.3	49.3	32.4		38.4			
Those with diabetes who have had at least four	Actual				23.3	29.9	24.8		19.7			
foot exams by a health professional in past year	Age Adjusted				18.3	24.5	19.6		21.4			
Those with diabetes who have had	Actual				55.4	50.2	54.8		56.5			
a dilated eye exam within the past year	Age Adjusted				45.6	45.3	53.3		47.6			
Those with diabetes who have had	Actual				69.6	70.3	68.1		66.3			
a dilated eye exam within the past 2 years	Age Adjusted				54.0	66.5	63.3		55.7			
Mammography screening (Age Adjustment Not Applicable)												
Report that they have ever had a CBE and mammogram (Women 40+)	Actual	64.1	64.7	67.2	71.9	71.8	73.1	72.6	77.7	78.1	77.9	
Income less than \$10,000	Actual	52.4	50.0	51.6	55.5	68.6	74.9	56.2	62.8	69.9	60.6	
Less than a high school education	Actual	54.2	49.3	50.2	57.3	59.5	55.9	61.2	61.6	66.4	66.7	
Women aged 70+ years of age	Actual	59.7	53.0	57.5	61.8	62.0	63.7	69.3	80.9	72.6	74.4	
Black women	Actual	59.4	59.4	49.8	62.3	61.1	67.1	63.7	67.8	71.2	69.4	
Report having a CBE and mammogram in past 2 years (Women 50+)	Actual	51.4	49.5	49.1	53.8	60.7	58.4	56.6	61.6	60.9	62.3	
Income less than \$10,000	Actual	41.0	32.6	37.8	38.3	60.4	45.6	40.0	45.7	52.6	44.1	
Less than a high school education	Actual	39.0	34.3	35.8	39.3	50.0	41.7	38.2	42.8	47.9	50.7	
Women aged 70+ years of age	Actual	47.9	38.9	45.5	49.0	50.7	47.7	49.8	57.7	53.5	53.7	
Black women	Actual	43.6	43.4	35.0	47.7	49.3	56.5	47.4	54.9	55.1	56.5	
Report having a screening mammogram within the past year (Women 50-59)	Actual	43.6	45.2	45.4	42.4	52.8	53.5	51.1	58.5	60.9	55.8	

Indicator	Rates	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	
Report having a screening mammogram within the past 2 years (Women 50-59)	Actual	60.3	62.3	56.3	64.2	68.6	71.9	65.6	73.1	75.2	72.8	
Report having screening mammogram within the past year (Women 60-69)	Actual	45.6	47.1	46.1	48.0	55.7	48.4	49.7	49.0	55.5	60.7	
Report having a screening mammogram within the past 2 years (Women 60-69)	Actual	60.0	58.5	56.7	65.0	69.8	69.3	68.6	67.1	69.8	73.7	
Pap smear screening												
Report that they have ever had a pap smear test	Actual	93.1	94.1	92.6	92.7	95.8	93.3	94.6	95.5	96.5	90.1	
(Women 18+ years of age who have never had a hysterectomy)	Age Adjusted	92.5	93.3	93.1	92.5	95.8	93.7	95.1	95.2	96.7	90.7	
Lucama lass than \$10,000	Actual	88.3	86.5	88.8	82.2	89.5	93.5	93.6	86.9	92.9	84.1	
Income less than \$10,000	Age Adjusted	91.4	87.3	89.9	86.9	92.8	92.9	95.6	88.1	95.0	84.7	
Lagrathan a high sale all advection	Actual	84.7	83.5	85.5	88.3	90.9	85.7	87.8	86.8	94.9	86.7	
Less than a high school education	Age Adjusted	87.8	85.8	90.3	92.1	94.0	90.5	92.1	87.3	96.3	88.2	
Women aged 70+ years of age (Age Adjustment not Applicable)	Actual	81.1	79.6	80.9	79.3	82.1	86.8	85.0	85.6	91.9	82.1	
Report that they have had a pap smear test	Actual	79.6	84.4	83.4	81.8	85.8	83.4	83.0	87.0	86.3	82.7	
in the past 3 years (Women 18+ years of age who have never had a hysterectomy)	Age Adjusted	77.1	81.3	81.4	79.2	83.6	82.4	80.9	84.3	84.2	80.3	
	Actual	70.9	72.9	75.2	65.5	73.4	77.5	70.7	68.1	79.1	72.5	
Income less than \$10,000	Age Adjusted	72.3	73.1	81.4	69.6	78.1	75.4	70.0	68.6	76.8	72.4	
	Actual	63.1	67.3	70.5	67.1	74.3	62.3	66.4	71.6	70.0	69.5	
Less than a high school education	Age Adjusted	69.8	69.5	77.7	73.5	71.3	69.3	74.9	69.5	72.2	74.0	
Women aged 70+ years of age (Age Adjustment Not Applicable)	Actual	51.1	58.7	51.7	50.2	55.1	63.9	52.6	75.5	64.4	46.1	
Report that they have had pap smear test	Actual	85.0	51.6	87.1	86.8	89.5	86.5	87.4	89.5	89.3	86.4	
in the past 3 years (Women 18-64)	Age Adjusted	67.8	70.3	71.2	70.2	73.9	71.7	71.5	72.4	73.4	70.7	

Indicator	Rates	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Colorectal cancer screening: Persons aged 50+ y	vears of age (Age	Adjust	ment N	ot Appl	licable)						
Report that they have ever had a sigmoidoscopy/proctoscopy exam	Actual	33.6		36.3		35.8		36.4		40.8	42.9
Report having a sigmoidoscopy or proctoscopy exam in the past year	Actual	9.5		12.5		10.0		12.5		13.4	13.4
Report having a sigmoidoscopy or proctoscopy exam in past 2 years	Actual	14.3		20.4		17.7		18.9		21.6	21.9
Report having had a sigmoidoscopy proctoscopy exam in past 5 years	Actual	21.7		27.3		25.1		27.0		31.9	33.4
Hypertension awareness											
Report being told by a health professional	Actual	30.0		29.8	29.5	34.3		35.0		31.4	
that they have high blood pressure	Age Adjusted	29.9		30.2	29.9	34.6		33.8		31.7	
Report having blood pressure taken by a	Actual	88.3		86.6	89.4	90.2		89.4			
health professionalin the past year	Age Adjusted	88.4		86.6	89.2	90.1		89.3			
Report having pressure taken by a	Actual	93.5		92.0	95.6	95.6		96.0			
health professional in the past 2 years	Age Adjusted	93.5		92.0	95.5	95.5		96.0			
Report having blood pressure taken by a	Actual	97.2		95.9	98.0	97.9		98.3			
health professional in the past 5 years	Age Adjusted	97.1		95.5	97.9	97.9		98.3			

Indicator	Rates	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
Immunization											
Report having had a flu shot	Actual	19.3		26.3		28.6		31.3		29.2	30.6
within the past 12 months	Age Adjusted	19.2		26.1		23.2		30.6		29.0	30.7
Persons 65+ years of age (Age Adjustment Not Applicable)	Actual	43.0		57.0		61.1		62.9		61.8	63.0
	Actual	14.0		15.0		18.2		17.0		21.2	19.9
Report that having had a pneumonia vaccination	Age Adjusted	13.4		14.6		17.6		16.5		20.6	19.8
Persons aged 65+ years of age (Age Adjustment Not Applicable)	Actual	27.8		39.4		45.9		49.3		55.7	58.9
Health care access											
Report that they have	Actual	16.1	12.7	14.0	14.2	15.1	18.8	16.9	19.3	18.7	22.8
no kind of health care coverage	Age Adjusted	15.7	13.7	14.0	14.3	15.1	18.6	17.4	19.0	18.6	22.5
Report being unable to see doctor in past 12 months because of cost	Actual	18.1	16.1	14.8	15.0	15.3	15.6	14.4	16.2		
	Age Adjusted	18.2	16.4	14.9	14.6	15.3	15.6	14.5	16.2		